


GENERALIZED SECTION FOR THE ELDERS RIDGE QUADRANGLE. SCALE: 1 INCH=100 FEET.								
SYSTEM.	SERIES.	FORMATION NAME.	Symbol.	COLUMNAR SECTION.	THICKNESS IN FEET.	Names of Members.	CHARACTER AND DISTRIBUTION OF MEMBERS.	GENERAL CHARACTER OF FORMATIONS.
	PENNSYLVANIAN	Monongahela formation.	Cm			Benwood limestone.	Blue limestone with calcareous shale beds. Outcrops at the top of a number of hills near Elders Ridge.	
					200±	Sewickley coal.	Persistent bed, but too thin and broken by partings to be of value.	The most important coal-bearing formation of southwestern Pennsylvania. Composed chiefly of shales, but contains also thin limestones and locally developed sandstone. Only a portion of the Benwood limestone is present.
						Redstone coal. Pittsburg sandstone. Pittsburg coal. Pittsburg limestone.	Thin bed, of no value in this quadrangle. Locally developed as massive sandstone. Sometimes represented by sandy shale. Bed of coal, 6 to 10 feet thick, of great value. One to 6 feet of limestone of good quality. Burned into lime for fertilizing	
		Conemaugh formation.				Connellsville sandstone.	purposes. Variable bed of coarse sandstone 40 to 60 feet below the Pittsburg coal.	
			Ccm			Morgantown sandstone.	Massive sandstone about 180 feet below the Pittsburg coal.	
CARBONIFEROUS						Ames limestone.	Thin and inconspicuous; green, full of crinoid stems and brachiopods.	Chiefly shales of various colors, green, drab, and red the most pronounced, interstratified with beds of coarse sandstone which are fairly persistent, but which occasionally lose their distinctive character. Contains also a few thin beds of limestone and coal.
CARBO								
					-			
						Saltsburg sandstone.	Coarse sandstone, massive in southern part of quadrangle, but often replaced by shale and shaly sandstone in northern part. Outcrops near Ebenezer and Salina.	
					TO III CO	Mahoning sandstone.	Coarse sandstone. Generally present, but occasionally replaced by sandy shale.	
		Allegheny formation.				Upper Freeport coal. Bolivar fire clay.	Exposed in many places. Generally about 4 feet thick. Excellent hard clay, averaging 5 feet thick at Salina, where it is mined.	
						Lower Freeport coal.	Generally present, but thin. It thickens locally north of Kent and is mined at Neal Run.	
			Ca			Upper Kittanning coal.	Generally thin, but has been mined at the mouth of Cherry Run.	Sandstone and shale, with several beds of limestone and fire clay and four beds of coal locally of value.
						Middle Kittanning coal	Extremely thin and valueless, sometimes absent.	and four beas of coar focally of value.
						Lower Kittanning coal.	About 3 feet thick, and outcrops on Crooked Creek near Girty.	
						Vanport limestone.	Eight to 10 feet of gray, fossiliferous limestone. Outcrops on Crooked Creek near Girty.	

SECTION OF COAL SEAMS IN ELDERS RIDGE QUADRANGLE AND VICINITY. SCALE: 1 INCH=5 FEET.


LOWER KITTANNING COAL.












WELL SECTIONS






Fig. 3.—RELIEF MAP OF THE NORTHERN APPALACHIAN MOUNTAINS.

The Elders Ridge quadrangle is situated on the plateau west of the belt of valley ridges, in the west-central part of Pennsylvania.




Fig. 4.—MAP SHOWING THE DISTRIBUTION OF THE GAS AND OIL POOLS IN WESTERN PENNSYLVANIA.

Compiled from map by the Second Geological Survey of Pennsylvania, and from maps by the United States Geological Survey. Dark areas, oil; lighter areas, gas. The location of the Elders Ridge quadrangle is shown by the rectangle.




Fig. 5.—MAP SHOWING THE AREA OF THE PITTSBURG COAL IN PENNSYLVANIA.

The Elders Ridge quadrangle is at the northeastern extremity of the field, as indicated by the rectangle.